Application/Control Number: 10/619,928

Art Unit: 3736

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Jeffrey Kurin on 9/28/2005.

The application has been amended as follows:

Claim 18 – in line 5, "and" has been deleted;

- in line 7, "." has been deleted and in its place --; and-- has been inserted; and
- following line 7, --wherein the custom end spacings of at least two of said plurality of seed strands have different lengths.—has been inserted.

Claim 24 – between line 9 and 10, --wherein the custom distal end spacings cause the treatment seeds located adjacent to distal ends of the treatment strands to be properly spaced relative to the distal end of the treatment strand;-- has been inserted; and

in line 11, "insert" has been deleted and in its place –implant—has been inserted.

Reasons For Allowance

The following is an examiner's statement of reasons for allowance: the prior art does not teach or fairly suggest a method of creating treatment strands wherein custom distal end spacings allow treatment strands to be implanted to the same depth and the distal most seed being properly positioned with respect to the distal end of the treatment strand.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Samuel G. Gilbert whose telephone number is 571-272-4725. The examiner can normally be reached on Monday-Friday 6:30-4:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Eleni Mantis-Mercader can be reached on 571-272-4740. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/619,928 Page 4

Art Unit: 3736

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Samuel G. Gilbert Primary Examiner Art Unit 3736